

**\* INDICATES APPLICABILITY OF A SPECIFIC CONTROL MEASURE TO ONE OR MORE OF THE SEVEN PROBLEM AREAS.**

SLOPES	A	B	C	D	E	F	G
STREAMS AND WATERWAYS							
SURFACE DRAINAGE (INLET & OUTFALL CONTROL)							
LARGE FLAT SURFACE AREAS							
BORROW AND STOCKPILE AREAS							
ADJACENT PROPERTIES							

	A	B	C	D	E	F	G
	*		*			*	*
	*				*	*	*
	*		*		*	*	*
	*	*					
	*	*				*	*


FACILITIES ESTABLISHMENT OF VEGETATIVE COVER, EFFECTIVE FOR DRAINAGEWAYS WITH LOW VELOCITY. EASILY PLACED IN SMALL QUANTITIES BY INEXPERIENCED PERSONNEL, SHOULD INCLUDE PREPARED TOPSOIL BED.

EFFECTIVE ON LARGE AREAS. MULCH TACKING AGENT USED TO PROVIDE IMMEDIATE PROTECTION UNTIL GRASS IS ROOTED. SHOULD INCLUDE PREPARED TOPSOIL BED.

PROVIDES IMMEDIATE PROTECTION. CAN BE USED ON STEEP SLOPES WHERE SEED MAY BE DIFFICULT TO ESTABLISH. EASY TO PLACE; MAY BE REPAIRED IF DAMAGED SHOULD INCLUDE PREPARED TOPSOIL BED.

SLOWS RUNOFF VELOCITY. FILTERS SEDIMENT FROM RUNOFF. REDUCES VOLUME OF RUNOFF ON SLOPES.

USED ALONE TO PROTECT EXPOSED AREAS FOR SHORT PERIODS. PROTECTS SOIL FROM IMPACT OF FALLING RAIN. PRESERVES SOIL MOISTURE AND PROTECTS GERMINATING SEED FROM TEMPERATURE EXTREMES.



6  
7  
8  
9  
10

C					
B					
A					
	DESCRIPTION	DRW	CKD	APP	DATE
REVISIONS					
DRAWN BY: S.D.A.					
CHECKED BY: S.D.A.					
APPROVED:					

**SOIL EROSION AND SEDIMENTATION CONTROL MEASURES (FROM 6-10)**

SCALE: NONE

CITY OF DETROIT	
WATER AND SEWERAGE DEPARTMENT	
ENGINEERING DIVISION	
SHEET	2 OF 9
DWG No.	01014-10