





**\* INDICATES APPLICABILITY OF A SPECIFIC CONTROL MEASURE TO ONE OR MORE OF THE SEVEN PROBLEM AREAS.**

SLOPES	A	B	C	D	E	F	G
STREAMS AND WATERWAYS		*					
SURFACE DRAINAGE CONTROL (INLET & OUTFALL)				*			
LARGE FLAT SURFACE AREAS							
BORROW AND STOCKPILE AREAS							
ADJACENT PROPERTIES				*			

33		CAN UTILIZE MATERIAL FOUND ON SITE. EASY TO CONSTRUCT. FILTERS SEDIMENT FROM RUNOFF.
34		EASY TO SHAPE. COLLECTS SEDIMENT. MAY BE CLEANED AND EXPANDED AS NEEDED.
35		MAY BE ROCK OR CLEAN RUBBLE. MINIMIZES STREAM TURBIDITY. INEXPENSIVE. MAY ALSO SERVE AS DITCH CHECK OR SEDIMENT TAP.
36		ELIMINATES STREAM TURBULENCE AND TURBIDITY. PROVIDES UNOBSTRUCTED PASSAGE FOR FISH AND OTHER WATER LIFE. CAPACITY FOR NORMAL FLOW CAN BE PROVIDED WITH STORM WATER FLOWING OVER ROADWAY.

C					
B					
A					
	DESCRIPTION	DRW	CKD	APP	DATE
REVISIONS					
DRAWN BY: S.D.A.					
CHECKED BY: S.D.A.					
APPROVED:					

**SOIL EROSION AND SEDIMENTATION CONTROL MEASURES (FROM 33-36)**

SCALE: NONE

CITY OF DETROIT  
 WATER AND SEWERAGE DEPARTMENT  
 ENGINEERING DIVISION

SHEET 8 OF 9

DWG No. 01014-16